

Powerful 2nd hand machines – the cost-efficient option, directly available

Robust design, sturdy construction and long lifetime. HAAS machines convince through their stable value and therefore very popular even as already used machines.



With our “Young Vikings” we offer you strictly tested HAAS demonstration machines in top condition, with very low operating hours and including a comprehensive warranty package.



With our “Experienced Vikings” we offer you HAAS used machines that have already proven themselves extensively in operation. All HAAS machines stand for extreme durability and quality. These experienced Vikings are checked by us for quality and undergo a complete overhaul. During this process, all technical and mechanical components are checked, replaced if necessary and, most often, body parts are repainted. You will receive a detailed list of the renewed spare and wear parts.



If we don't have a suitable machine in our program, please contact us. We will try to find the right machine for you.

+49 2661 9865-0
info@haas-recycling.de

Website>> <https://haas-recycling.de/en/second-hand-machines/>



Second - hand - machines

stand 03.02.2023, Page 1 of 2

SIEBO 5000 – DEMO MACHINE **2**
★★★★
ID: S2022-50 ca. 50 h

Siebo 5000 – Demo machine

Basic information	
Status	★★★★
ID:	ID: S2022-50
Construction year:	2022
Working Hours:	ca. 50 h
Mobility:	on 2-axle trailer
Warranty of machine:	12 month / 1.000 hours
Availability:	directly

Overall dimension

- Length: 14.900 mm
- Width: 6.800 mm
- Height: 4.000 mm
- Transport length: 11.000 mm
- Transport width: 2.550 mm
- Transport height: 4.000 mm

Feed hopper

- Volume: ca. 6,0 m³
- Feeding height: 2.820 mm
- Feeding width: 4.000 mm

Screen Drum

- Length: 4.550 mm
- Diameter: 2.200 mm
- Wall thickness: 8 mm
- Perforation size: 20 mm, square
- Drum hole layout: offset

Cleaning brush

- Hydr. tiltable cleaning brush
- Brush diameter: 700 mm

Outfeed belt conveyor

- Fines conveyor
 - Length: 7.200 mm
 - Width: 1.000 mm
 - Discharge height (30°): 3.500 mm
- Oversize conveyor
 - Length: 5.500 mm
 - Width: 1.000 mm
 - Discharge height (30°): 3.500 mm

Drive system

- Diesel engine: CAT C3.6
- Power: 55kW
- Emission standard: EU stage 5

Individual Equipment

- Incl. reversible fan / Cleanfix
- Incl. hydr. system to excavate the drum

